UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/767,852	01/29/2004	Tsuyoshi Yokota	9319S-000639	2961
27572 7590 04/26/2010 HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 828 PLOOMETER D. HILLS, ML 48202			EXAMINER	
			WONG, HUEN	
BLOOMFIELD HILLS, MI 48303			ART UNIT	PAPER NUMBER
			2169	
			MAIL DATE	DELIVERY MODE
			04/26/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/767,852	YOKOTA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Huen Wong	2169				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>05 A</u>	oril 2010.					
,	action is non-final.					
3) Since this application is in condition for allowar	' -					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-4,6-9,11 and 13-15</u> is/are pending i	n the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4,6-9,11 and 13-15</u> is/are rejected.	6)⊠ Claim(s) <u>1-4,6-9,11 and 13-15</u> is/are rejected.					
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)⊠ The specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>12 August 2004</u> is/are:	a)⊠ accepted or b) objected t	o by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
dee the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	te					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						

Art Unit: 2169

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. The amendment filed *04/05/2010* has been received and considered.
- 2. Claims 1-4, 6-9, 11, and 13-15 are amended.

Claims 5, 10, 12, and 16-18 are canceled.

Claims 1-4, 6-9, 11, and 13-15 are presented for examination.

3. The claims and only the claims form the metes and bounds of the invention. "Office personnel are to give claims their broadest reasonable interpretation in light of the supporting disclosure. In re Morris, 127 F.3d 1048, 1054-55, 44 USPQ2d 1023, 1027-28 (Fed. Cir. 1997). Limitations appearing in the specification but not recited in the claim are not read into the claim. In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-551 (CCPA 1969)" (MPEP p 2100-8, c 2, I 45-48; p 2100-9, c 1, I 1-4). The Examiner has full latitude to interpret each claim in the broadest reasonable sense. The Examiner will reference prior art using terminology familiar to one of ordinary skill in the art. Such an approach is broad in concept and can be either explicit or implicit in meaning.

Response to Amendments

4. The Examiner respectfully withdraws previous objections on *Drawings*.

Art Unit: 2169

Response to Arguments

5. Applicant's arguments are moot in view of new grounds of rejection below.

Claim Objections

- 6. Amended **1-4**, **6-9**, **11**, **and claims 13-15** objected to because of the following informalities:
 - amended claim 1 recites "request-receiving means for receiving a request for offering information of the product from the user via the communication network, the request being generated by execution by the user of a short-cut link on a desktop screen of said computer..."; amended claim 1 also recites "execution by the user of the link generating a request for offering information of the product from the user that is received by the request-receiving means of the information offering apparatus via the communication network". The two limitations appear to be duplicates of each other; the Examiner respectfully suggests removing the limitation of "... executing by the user of the link generating a request..."
 - insert semicolon after "computer" at line 24 of amended claim 1
 - change "... in response to receiving a first request and a second from ..." of amended claim 13 to "... in response to receiving a first request and a second request from ..."
 - change the first and the second request of claim 14 to the first and the second requests.

Art Unit: 2169

 change the first and the second request of claim 15 to the first and the second requests.

Appropriate corrections are required.

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 1-4, 7-9, and 13-15 rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6240420 by Lee, in view of HTML 4.01 Specification (hereinafter "HTML 4.01"), and in further view of US PGPUB 2004/0006693 by Vasnani et al. (hereinafter "Vasnani").
- 9. As to amended claim 1, Lee teaches a production management system including a production management server and an information offering apparatus for offering, via a communication network, information to a user of a product comprising a computer produced by combining parts selected from a plurality of parts, the information offering apparatus comprising:

question-and-answer items storage unit means for storing question-and-answer

items including questions for each of the plurality of parts and answers for the questions (*Lee*: Figs. 1-7, Col. 3 Lines 3-22, Col. 4 Lines 8-67; storage of plurality of FAQs);

request-receiving means for receiving a request for offering information of the product from the user via the communication network (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62; user using support system to search for desired/wanted item as indicated in Fig. 7);

information-obtaining means for obtaining part-related information related to a part constituting the product in response to receiving the request (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62; user interacting with support system by selecting from menu windows);

pick-up means for picking up, from the question-and-answer items storage means, at least one question-and-answer item related to the part constituting the product based on the part-related information that is obtained (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; further, search based on devices constituting product); and

transmission means for transmitting the question-and-answer item that is picked up to the user who has issued the request (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; further, storage of plurality of FAQs).

Page 6

Lee also discloses request for offering information that involves searching databases, in Internet environment, for information related to products based on parameters selected from list GUI controls (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6). *Lee* further discloses customer service system (*Lee*: Col. 1 Lines 35-65; Col. 2 Lines 40-50; customer service used when defects occur in a purchased product; also, purchased computer) and plurality of part codes corresponding to the parts selected from the plurality of parts (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6).

Lee does not explicitly disclose that the request being generated by execution by the user of a short-cut link or link on a desktop screen of said computer, the short-cut link or link incorporating a plurality of part codes as parameters of a URL.

However, *HTML 4.01* teaches the request being generated by execution by the user of a short-cut link or link on a desktop screen of said computer (*HTML 4.01*: Forms; Appendix B 2.2 - Ampersands in URI attribute values; get and post submit methods; also, submit button control that submits form data set to server-side form processing agents when activated; also, "action" location of a form processing agent to send data set to; also, form data set is a sequence of control-name/current-value pairs constructed from successful controls, such as *Lee*'s menus controls in Fig. 7; also, successful controls are those controls for which name/value pairs are submitted; also, form data set appended to URI as part of form submit; also, menu controls such as *Lee*'s menus in Fig. 7; further, "URI that is constructed when a form is submitted may be used as an anchor-style link - e.g., the href attribute for the A element"; *note*: *Lee*'s menu windows

Art Unit: 2169

can be created using SELECT element disclosed by HTML 4.01), the short-cut link or link incorporating a plurality of codes as parameters of a URL, (HTML 4.01: Forms; Appendix B 2.2 - Ampersands in URI attribute values; get and post submit methods; also, submit button control that submits form data set to server-side form processing agents when activated; also, "action" location of a form processing agent to send data set to; also, form data set is a sequence of control-name/current-value pairs, such as values selected from Lee's menus in Fig. 7, constructed from successful controls, such as Lee's menus controls in Fig. 7; also, successful controls are those controls for which name/value pairs are submitted; also, form data set appended to URI as part of form submit; also, menu controls such as Lee's menus in Fig. 7; further, "URI that is constructed when a form is submitted may be used as an anchor-style link - e.g., the href attribute for the A element"; **note**: Lee's menu windows can be created using SELECT element disclosed by HTML 4.01) in order to perform information searching over HTTP, using HTML, in client-server environment such as the Internet environment disclosed by Lee.

It would have been obvious to one having ordinary skill in the art and the teachings of *Lee* and *HTML 4.01* before them at the time the present invention was made to incorporate *HTML 4.01*'s features of request being generated by execution by the user of a short-cut link or link on a desktop screen of said computer (*HTML 4.01*: Forms; Appendix B 2.2 - Ampersands in URI attribute values; get and post submit methods; also, submit button control that submits form data set to server-side form processing agents when activated; also, "action" location of a form processing agent to

Art Unit: 2169

send data set to; also, form data set is a sequence of control-name/current-value pairs constructed from successful controls, such as Lee's menus controls in Fig. 7; also, successful controls are those controls for which name/value pairs are submitted; also, form data set appended to URI as part of form submit; also, menu controls such as Lee's menus in Fig. 7; further, "URI that is constructed when a form is submitted may be used as an anchor-style link - e.g., the href attribute for the A element"; note: Lee's menu windows can be created using SELECT element disclosed by HTML 4.01) and the short-cut link or link incorporating a plurality of codes as parameters of a URL, (HTML 4.01: Forms; Appendix B 2.2 - Ampersands in URI attribute values; get and post submit methods; also, submit button control that submits form data set to server-side form processing agents when activated; also, "action" location of a form processing agent to send data set to; also, form data set is a sequence of control-name/currentvalue pairs, such as values selected from Lee's menus in Fig. 7, constructed from successful controls, such as Lee's menus controls in Fig. 7; also, successful controls are those controls for which name/value pairs are submitted; also, form data set appended to URI as part of form submit; also, menu controls such as Lee's menus in Fig. 7; further, "URI that is constructed when a form is submitted may be used as an anchor-style link - e.g., the href attribute for the A element"; note: Lee's menu windows can be created using SELECT element disclosed by HTML 4.01) with Lee's system that make use of plurality of part codes corresponding to the parts selected from the plurality of parts (Lee: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6).

Art Unit: 2169

The suggestion/motivation for doing so would have been to perform information searching over HTTP, using HTML, in client-server environment such as the Internet environment disclosed by *Lee*.

Lee and HTML 4.01 further discloses a production management server that upon receiving information indicating a completion of an inspection of the computer, forming and transmitting a link that is the same as the short-cut link on the desktop screen of the computer (Lee: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; HTML 4.01: Forms; Appendix B 2.2 - Ampersands in URI attribute values; note: Lee discloses support system/method over the Internet; Fig. 7 of Lee discloses the use of menu windows 700, 720, 740 to select a user wanted item – e.g. FAQ on HDD device of M555D; this suggests that a customer, after inspection of his/her M555D model, finds that he/she would like to access the FAQ related to the HDD of his/her M555D in order to find a solution to a HDD-related problem; Lee's description of why his system/method is desirable for the purpose of solving problems can be found in 2. Description of Related Art; HTML 4.01 discloses "URI that is constructed when a form is submitted may be used as an anchor-style link - e.g., the href attribute for the A element").

Lee and HTML 4.01 further discloses execution by the user of the link

generating a request for offering information of the product from the user that is

received by the request-receiving means of the information offering apparatus via

the communication network (Lee: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines

Art Unit: 2169

8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; *HTML 4.01*: Forms; Appendix B 2.2 - Ampersands in URI attribute values; *note*: the link is the short-cut link).

Lee and HTML 4.01 do not explicitly disclose forming and transmitting an email having link. However, Vasnani discloses forming and transmitting an email having link for accessing resource (¶ 0041-0042 & 0044, Fig. 2-3, 5; user presented with URLs for resources "given in an email or the like electronic document"; also, selecting hyperlinks to send a URL and the request embedded therein; further, requested resource (content/files) are returned and accessed by user) in order to deliver a resource link via a convenient and widely-used communication tool and to allow for the storage of such link in personal inbox.

It would have been obvious to one having ordinary skill in the art and the teachings of *Lee*, *HTML 4.01*, and *Vasnani* before them at the time the present invention was made to incorporate *Vasnani*'s step of forming and transmitting an email having link for accessing resource (¶ 0041-0042 & 0044, Fig. 2-3, 5; user presented with URLs for resources "given in an email or the like electronic document"; also, selecting hyperlinks to send a URL and the request embedded therein; further, requested resource (content/files) are returned and accessed by user) with the system taught by *Lee* and *HTML 4.01*.

The suggestions/motivations for doing so would have been to deliver a resource link via a convenient and widely-used communication tool and to allow for the storage of such link in personal inbox.

Art Unit: 2169

Amended **claim 13**, a method claim, includes similar subject matter and is rejected for the same reason.

10. As to amended **claim 2**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 1. *Lee* further discloses wherein said information-obtaining means comprises one for obtaining the part-related information from the information received upon receipt of the **request** for offering information of the product from said request-receiving means (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; further, devices constituting product).

Amended **claim 14**, a method claim, includes similar subject matter and is rejected for the same reason.

11. As to amended **claim 3**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 2. *Lee* further discloses wherein said product comprises one that is so constituted as to request the offer for information of the product for the information offering apparatus via the communication network, and transmits the part-related information in response to the **request** at the time of request (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also,

Art Unit: 2169

display/output of data and providing wanted information via LAN, PSTN, modem; also, storage of plurality of FAQs; further, search based on devices constituting product).

- 12. As to amended **claim 4**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 2. *Lee* further discloses wherein the **request includes** request information for offering information from said information offering apparatus via the communication network and the part-related information (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; further, search based on devices constituting product).
- 13. As to amended **claim 7**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 1. *Lee* further discloses:

related information storage means for storing product identification information relating to part-related information of the product (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; further, search based on devices constituting product and model);

wherein said request-receiving means comprises one for receiving product

Application/Control Number: 10/767,852

Art Unit: 2169

identification information in response to the receipt of the **request** (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; further, search based on devices constituting product and model); and

Page 13

said information-obtaining means comprises one for obtaining corresponding part-related information from said related information storage means based on identification information that is received (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; also, search based on devices constituting product and model; further, corresponding devices).

Amended **claim 15**, a method claim, includes similar subject matter and is rejected for the same reason.

14. As to amended **claim 8**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 7. *Lee* further discloses wherein said product comprises one that is so constituted as to request the offer for information of the product for the information offering apparatus via the communication network (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN, modem; also, storage of plurality of

Art Unit: 2169

FAQs; further, search based on devices constituting product), and transmits product identification information in response to the **request** at the time of request (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; also, search based on devices constituting product and model; further, corresponding devices).

- 15. As to amended **claim 9**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 7. *Lee* further discloses wherein the **request includes** request information for offering information from said information offering apparatus via the communication network and product identification information (*Lee*: Figs. 1-7 & 8A-8B, Col. 3 Lines 3-22, Col. 4 Lines 8-67, Col. 5 Lines 9-62, Col. 6 Lines 1-6; user using support system to search for desired/wanted item as indicated in Fig. 7; also, display/output of data and providing wanted information via LAN, PSTN; also, storage of plurality of FAQs; also, search based on devices constituting product and model; further, corresponding devices).
- 16. Claims 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6240420 by Lee, in view of HTML 4.01 Specification (hereinafter "HTML 4.01"), and in further view of US PGPUB 2004/0006693 by Vasnani et al.

Art Unit: 2169

(hereinafter "Vasnani"), and in further view of US Patent 6826715 by Meyer et al. (hereinafter "Meyer").

17. As to amended **claim 6**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 3. *Lee* and *HTML 4.01* do not explicitly disclose the part-related information is stored in the product at a time of producing said product.

However, *Meyer* discloses automatic capturing hardware, OS information and transmitting it for automatic diagnostic/support purposes (*Meyer*: Col. 1 Lines 40-67, Col. 2 Lines 1-18, Col. 4 Lines 40-45, Sample Logs from Col. 3 – Col. 24).

It would have been obvious to one having ordinary skill in the art and the teachings of *Lee*, *HTML 4.01*, *Vasnani* and *Meyer* before them at the time the present invention was made to incorporate *Meyer*'s features of automatic capturing hardware, OS information and transmitting it (*Meyer*: Col. 1 Lines 40-67, Col. 2 Lines 1-18, Col. 4 Lines 40-45, Sample Logs from Col. 3 – Col. 24) with the system taught by *Lee*, *HTML 4.01*, and *Vasnani* (*Meyer*: Col. 1 Lines 40-67, Col. 2 Lines 1-18, Col. 4 Lines 40-45, Sample Logs from Col. 3 – Col. 24). The suggestion/motivation for doing so would have been to provide automatic diagnostic/support (*Meyer*: Col. 1 Lines 40-67, Col. 2 Lines 1-18, Col. 4 Lines 40-45, Sample Logs from Col. 3 – Col. 24).

18. Claims 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6240420 by Lee, in view of HTML 4.01 Specification (hereinafter "HTML

Art Unit: 2169

4.01"), and in further view of US PGPUB 2004/0006693 by Vasnani et al. (hereinafter "Vasnani"), and in further view of US Patent 6170056 by Sidie.

19. As to amended **claim 11**, the combination of *Lee*, *HTML 4.01*, and *Vasnani* teaches the **production management system** information offering apparatus according to claim 8. Though it is well known that BIOS stores computer identification information, *Lee* and *HTML 4.01* do not explicitly disclose wherein the identification information is stored in the product at a time of producing said product.

However, *Sidie* discloses scanning of BIOS to retrieve model information of computer in order to perform inventorying of computers in a fast, non-intrusive manner without physical manipulation of computer and also to prepare for software upgrades and impending Y2K issues (*Sidie*: Col. 1 Lines 53-66, Col. 2 Lines 17-67, Col. 3 Lines 1-28).

It would have been obvious to one having ordinary skill in the art and the teachings of *Lee*, *HTML 4.01*, *Vasnani* and *Sidie* before them at the time the present invention was made to incorporate *Sidie*'s feature of scanning of BIOS to retrieve model information of computer with the system taught by *Lee*, *HTML 4.01*, and *Vasnani* (*Sidie*: Col. 1 Lines 53-66, Col. 2 Lines 17-67, Col. 3 Lines 1-28). The suggestion/motivation for doing so would have been to perform inventorying of computers in a fast, non-intrusive manner without physical manipulation of computer and also to prepare for software upgrades and impending Y2K issues (*Sidie*: Col. 1 Lines 53-66, Col. 2 Lines 17-67, Col. 3 Lines 1-28).

Art Unit: 2169

Prior Art

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

RFC 2616 by Fielding et al. discloses the "http" scheme is used to locate
network resources via the HTTP protocol. This section defines the schemespecific syntax and semantics for http URLs.

Conclusion

21. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Huen Wong whose telephone number is (571) 270-3426. The examiner can normally be reached on Monday - Friday (8:30 EST - 5:00 EST).

If attempts to reach the examiner by telephone are unsuccessful, the Examiner's supervisor, Tony Mahmoudi can be reached on (571) 272-4078. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

Art Unit: 2169

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/H. W./ /Vincent Boccio/

Examiner, Art Unit 2169 Primary Examiner, Art Unit 2158

20 April 2010